



# DECLARATION OF CONFORMITY



**The signer representing the following manufacturer:**

**Gres Aragón Cañada, S.A.**

**Planta 1 y Oficinas:** Carretera Escatrón Km.9  
44600 ALCAÑIZ (TERUEL) ESPAÑA

**Planta 2:** Polígono El Regatillo II  
Carretera Alcorisa –Andorra, Km. 3.5  
44550 ALCORISA (TERUEL) ESPAÑA

**Almacén regulador:** Carretera Villareal Onda Km.9  
12200 ONDA (CASTELLON) ESPAÑA

**Declaring that:**

The “Glazed” \* products are comply with the dispositions of **Annexe ZA included in UNE-EN 14411:2006** Ceramic Tiles - Definitions, classification, characteristics and marking- extruded ceramic tiles  $3 < E \leq 6$  % GROUP AIIa.

**Product description and their final uses:**

Glazed ceramic Tiles for indoor and outdoor applications, floor and coatings.

**The product is comply with the following dispositions:**

**Characteristics**

Reaction to Fire  
Modulus of Rupture  
Breaking Strength Resistance  
Thermal Shock Resistance  
Frost Resistance  
Adhesion

**Obtained Classification**

A1 according to the amended regulation 96/603/EEC  
2030 N *UNE-EN ISO 10545-4*  
NPD *UNE-EN ISO 10545-4*  
Classification *UNE-EN ISO 19545-9*  
Classification *UNE-EN-ISO 10545-12*  
> 1 N/mm<sup>2</sup> *Adhesive C2 (EN 12004)*  
*according to EN 1348 apdo. 8.2.*

**Name and adresse of External laboratory.**

ITC (Instituto Tecnológico Cerámico) Campus Universitario el Riu Sec  
12006 CASTELLON (ESPAÑA)

Signed by:

Date: *January, 10, 2011*

José Ramón Hernando Encuentra  
Representante Gres Aragón – Cañada, S.A

- (\*)Corresponding to series: Regular Surface Glazed Tiles, Albany and Isla.