



# DECLARATION OF CONFORMITY



The signer representing the following manufacturer:

**Gres Aragón Cañada, S.A.**  
**Planta 1 y Oficinas:** Carretera Escatrón Km.9  
44600 ALCANIZ (TERUEL) ESPAÑA  
**Planta 2:** Polígono El Regatillo II  
Carretera Alcorisa –Andorra, Km. 3.5  
44550 ALCORISA (TERUEL) ESPAÑA  
**Almacén regulador:** Carretera Villareal Onda Km.9  
12200 ONDA (CASTELLON) ESPAÑA

**Declaring that:**

The “Technical range” \* products are comply with the dispositions of **Annexe ZA included in UNE-EN 14411:2006** Ceramic Tiles - Definitions, classification, characteristics and marking- extruded ceramic tiles  $E \leq 0,5$  % GROUP AIa.

**Product description and their final uses:**

Ceramic Tiles for indoor and outdoor applications, floor and coatings.

**The product is comply with the following dispositions:**

**Characteristics**

**Obtained Classification**

Reaction to Fire  
Modulus of Rupture

A1 according to the amended regulation 96/603/EEC  
670 N Aciker Plus 9 mm.. 2310 N Aciker Plus 14 mm  
980 Aciker 14 mm. 2390 Aciker 18mm. *UNE-EN ISO 10545-4*  
NPD *UNE-EN ISO 10545-4*  
Classification *UNE-EN ISO 19545-9*  
Classification *UNE-EN-ISO 10545-12*  
 $> 1 \text{ N/mm}^2$  Adhesive C2 (*EN 12004*)  
*according to EN 1348 apdo. 8.2.*

Breaking Strength Resistance  
Thermal Shock Resistance  
Frost Resistance  
Adhesion

**Name and adresse of External laboratory.**

ITC (Instituto Tecnológico Cerámico) Campus Universitario el Riu Sec  
12006 CASTELLON (ESPAÑA)

Signed by:

Date: January, 10, 2011

José Ramón Hernando Encuentra  
Representante Gres Aragón – Cañada, S.A

- (\*) Technical range corresponds to series Aciker Plus and Aciker